


# PageSpeed Insights

Telefon



67 / 100 Shpejtësia

! Duhet përmirësuar:

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 7 blocking script resources and 13 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <https://cardibcommunity.com/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <https://cardibcommunity.com/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- [https://cardibcommunity.com/wp-content/plugins/contact-form-7-paypal-addon/assets/js/redirect\\_method.js](https://cardibcommunity.com/wp-content/plugins/contact-form-7-paypal-addon/assets/js/redirect_method.js)
- <https://cardibcommunity.com/wp-content/plugins/email-subscribe/js/wp-email-subscription->

## Telefon

popup.js?ver=4.9.8

- <https://cardibcommunity.com/wp-content/plugins/email-subscribe/js/subscribe-popup.js?ver=4.9.8>
- <https://cardibcommunity.com/wp-content/plugins/jquery-image-lazy-loading/js/jquery.lazyload.min.js?ver=1.7.1>
- <https://cardibcommunity.com/wp-content/plugins/dk-pricr-responsive-pricing-table/inc/js/rpt.min.js?ver=4.9.8>

[Optimize CSS Delivery](#) of the following:

- <https://cardibcommunity.com/wp-content/themes/leto/css/bootstrap/bootstrap.min.css?ver=1>
- <https://cardibcommunity.com/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.0.5>
- <https://cardibcommunity.com/wp-content/plugins/email-subscribe/css/wp-email-subscription-popup.css?ver=4.9.8>
- <https://cardibcommunity.com/wp-content/plugins/email-subscribe/css/subscribe-popup.css?ver=4.9.8>
- <https://fonts.googleapis.com/css?family=Roboto:400,500>
- <https://cardibcommunity.com/wp-content/plugins/material-design-for-contact-form-7/assets/css/cf7-material-design.css?ver=2.0>
- <https://cardibcommunity.com/wp-content/themes/leto/style.css?ver=4.9.8>
- <https://fonts.googleapis.com/css?family=Rubik:400,400i,500,500i,700,700i>
- <https://cardibcommunity.com/wp-content/themes/leto/css/ionicons.min.css?ver=4.9.8>
- <https://cardibcommunity.com/wp-content/themes/leto/css/plugins.css?ver=4.9.8>
- <https://cardibcommunity.com/wp-content/plugins/recent-posts-widget-with-thumbnails/public.css?ver=6.2.1>
- [https://cardibcommunity.com/wp-content/plugins/dk-pricr-responsive-pricing-table/inc/css/rpt\\_style.min.css?ver=4.9.8](https://cardibcommunity.com/wp-content/plugins/dk-pricr-responsive-pricing-table/inc/css/rpt_style.min.css?ver=4.9.8)
- <https://cardibcommunity.com/wp-content/plugins/kirki/assets/css/kirki-styles.css?ver=3.0.34.1>

## Optimize images

## Telefon

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 130.6KiB (34% reduction).

- Compressing <https://tpc.googlesyndication.com/simgad/12478054292891663439> could save 67.1KiB (63% reduction).
- Compressing <https://cardibcommunity.com/wp-content/uploads/2018/11/Cardi-B.jpg> could save 24.4KiB (22% reduction).
- Compressing <https://cardibcommunity.com/wp-content/themes/leto/images/header.jpeg> could save 14.9KiB (27% reduction).
- Compressing <https://cardibcommunity.com/wp-content/uploads/2018/11/23849.jpeg> could save 11.8KiB (21% reduction).
- Compressing <https://cardibcommunity.com/wp-content/uploads/2018/11/bbc18f6c79e1beb02f11bfa59c35e6fb90271e69.jpg> could save 9.5KiB (17% reduction).
- Compressing [https://cardibcommunity.com/wp-content/plugins/email-subscribe/images/1378845578\\_Error.png](https://cardibcommunity.com/wp-content/plugins/email-subscribe/images/1378845578_Error.png) could save 2.8KiB (65% reduction).
- Compressing [https://cardibcommunity.com/wp-content/plugins/email-subscribe/images/1378845314\\_001\\_06.gif](https://cardibcommunity.com/wp-content/plugins/email-subscribe/images/1378845314_001_06.gif) could save 135B (11% reduction).

 Përmiresim për tu konsideruar:

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://static.apester.com/js/sdk/latest/apester-javascript-sdk.min.js?ver=4.9.8> (5 minutes)
- <https://display.apester.com/injected-units?url=https://cardibcommunity.com/&platform=mobile> (15 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

### Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 6.7KiB (14% reduction).

- Minifying <https://cardibcommunity.com/wp-content/themes/leto/style.css?ver=4.9.8> could save 3.5KiB (14% reduction) after compression.
- Minifying <https://cardibcommunity.com/wp-content/plugins/material-design-for-contact-form-7/assets/css/cf7-material-design.css?ver=2.0> could save 2.4KiB (13% reduction) after compression.
- Minifying <https://cardibcommunity.com/wp-content/plugins/email-subscribe/css/subscribe-popup.css?ver=4.9.8> could save 523B (33% reduction) after compression.
- Minifying <https://cardibcommunity.com/wp-content/plugins/email-subscribe/css/wp-email-subscription-popup.css?ver=4.9.8> could save 269B (16% reduction) after compression.

### Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1.4KiB (14% reduction).

- Minifying <https://cardibcommunity.com/> could save 1.4KiB (14% reduction) after compression.

### Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 3.8KiB (24% reduction).

- Minifying <https://cardibcommunity.com/wp-content/plugins/email-subscribe/js/subscribe-popup.js?ver=4.9.8> could save 2KiB (25% reduction) after compression.
- Minifying <https://cardibcommunity.com/wp-content/themes/leto/js/main.js?ver=20171108> could save 905B (23% reduction) after compression.
- Minifying [https://cardibcommunity.com/wp-content/plugins/contact-form-7-paypal-addon/assets/js/redirect\\_method.js](https://cardibcommunity.com/wp-content/plugins/contact-form-7-paypal-addon/assets/js/redirect_method.js) could save 537B (31% reduction) after compression.
- Minifying <https://cardibcommunity.com/wp-content/plugins/jquery-image-lazy-loading/js/jquery.lazyload.min.js?ver=1.7.1> could save 175B (17% reduction) after compression.
- Minifying <https://cardibcommunity.com/wp-content/plugins/email-subscribe/js/wp-email-subscription-popup-js.js?ver=4.9.8> could save 124B (17% reduction) after compression.
- Minifying <https://cardibcommunity.com/wp-content/plugins/woocommerce/assets/js/js-cookie/js.cookie.min.js?ver=2.1.4> could save 115B (12% reduction) after compression.



### Kalon 4 kontrolle

#### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

#### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

#### Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

#### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

### 87 / 100 Eksperienca e përdoruesit



Duhet përmirësuar:

#### Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<a href="https://cardib...category/home/">Home</a>` and 29 others are close to other tap targets.
- The tap target `<a href="https://cardib...p-talent-show/">November 14, 2018</a>` and 9 others are close to other tap targets.
- The tap target `<input id="yourname" type="text" name="yourname" class="textfield">` is close to 1 other tap targets final.
- The tap target `<a id="submit_newsletter">SIGN UP FOR NEWSLETTER NOW</a>` is close to 1 other tap targets final.
- The tap target `<a id="fancybox_ns-close">` is close to 1 other tap targets final.



Kalon 4 kontrolle

#### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

#### Configure the viewport

## Telefon

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

### Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

### Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

## Desktop



75 / 100 Shpejtësia

 Duhet përmirësuar:

### Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 268.5KiB (54% reduction).

- Compressing and resizing <https://cardibcommunity.com/wp-content/uploads/2018/11/screen-780x1171.jpg> could save 94.3KiB (70% reduction).

## Desktop

- Compressing and resizing <https://cardibcommunity.com/wp-content/uploads/2018/11/Cardi-B-780x520.jpg> could save 61.4KiB (81% reduction).
- Compressing and resizing <https://cardibcommunity.com/wp-content/uploads/2018/11/3-780x439.jpeg> could save 41.6KiB (72% reduction).
- Compressing and resizing [https://cardibcommunity.com/wp-content/uploads/2018/11/rs\\_1024x634-181102101421-cardi-b-mi-mami-1-780x483.jpg](https://cardibcommunity.com/wp-content/uploads/2018/11/rs_1024x634-181102101421-cardi-b-mi-mami-1-780x483.jpg) could save 32.1KiB (66% reduction).
- Compressing <https://cardibcommunity.com/wp-content/themes/leto/images/header.jpeg> could save 14.9KiB (27% reduction).
- Compressing <https://cardibcommunity.com/wp-content/uploads/2018/11/23849.jpeg> could save 11.8KiB (21% reduction).
- Compressing <https://cardibcommunity.com/wp-content/uploads/2018/11/bbc18f6c79e1beb02f11bfa59c35e6fb90271e69.jpg> could save 9.5KiB (17% reduction).
- Compressing [https://cardibcommunity.com/wp-content/plugins/email-subscribe/images/1378845578\\_Error.png](https://cardibcommunity.com/wp-content/plugins/email-subscribe/images/1378845578_Error.png) could save 2.8KiB (65% reduction).
- Compressing [https://cardibcommunity.com/wp-content/plugins/email-subscribe/images/1378845314\\_001\\_06.gif](https://cardibcommunity.com/wp-content/plugins/email-subscribe/images/1378845314_001_06.gif) could save 135B (11% reduction).



Përmireshim për tu konsideruar:

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://static.apester.com/js/sdk/latest/apester-javascript-sdk.min.js?ver=4.9.8> (5 minutes)
- <https://display.apester.com/injected-units?url=https://cardibcommunity.com/&platform=desktop> (15 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)



## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 6.7KiB (14% reduction).

- Minifying <https://cardibcommunity.com/wp-content/themes/leto/style.css?ver=4.9.8> could save 3.5KiB (14% reduction) after compression.
- Minifying <https://cardibcommunity.com/wp-content/plugins/material-design-for-contact-form-7/assets/css/cf7-material-design.css?ver=2.0> could save 2.4KiB (13% reduction) after compression.
- Minifying <https://cardibcommunity.com/wp-content/plugins/email-subscribe/css/subscribe-popup.css?ver=4.9.8> could save 523B (33% reduction) after compression.
- Minifying <https://cardibcommunity.com/wp-content/plugins/email-subscribe/css/wp-email-subscription-popup.css?ver=4.9.8> could save 269B (16% reduction) after compression.

## Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1.4KiB (14% reduction).

- Minifying <https://cardibcommunity.com/> could save 1.4KiB (14% reduction) after compression.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 3.8KiB (24% reduction).

- Minifying <https://cardibcommunity.com/wp-content/plugins/email-subscribe/js/subscribe-popup.js?ver=4.9.8> could save 2KiB (25% reduction) after compression.
- Minifying <https://cardibcommunity.com/wp-content/themes/leto/js/main.js?ver=20171108> could save 905B (23% reduction) after compression.
- Minifying [https://cardibcommunity.com/wp-content/plugins/contact-form-7-paypal-addon/assets/js/redirect\\_method.js](https://cardibcommunity.com/wp-content/plugins/contact-form-7-paypal-addon/assets/js/redirect_method.js) could save 537B (31% reduction) after compression.
- Minifying <https://cardibcommunity.com/wp-content/plugins/jquery-image-lazy-loading/js/jquery.lazyload.min.js?ver=1.7.1> could save 175B (17% reduction) after compression.
- Minifying <https://cardibcommunity.com/wp-content/plugins/email-subscribe/js/wp-email-subscription-popup-js.js?ver=4.9.8> could save 124B (17% reduction) after compression.
- Minifying <https://cardibcommunity.com/wp-content/plugins/woocommerce/assets/js/js-cookie/js.cookie.min.js?ver=2.1.4> could save 115B (12% reduction) after compression.

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://cardibcommunity.com/wp-content/themes/leto/css/bootstrap/bootstrap.min.css?ver=1>



Kalon 4 kontrolle

## Avoid landing page redirects

## Desktop

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

### Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).