

# PageSpeed Insights

## Telefon



86 / 100 Shpejtësia

! Përmiresim për tu konsideruar:

### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 7.9KiB (62% reduction).

- Compressing <https://www.register.it/wp-includes/js/wp-emoji-release.min.js?ver=4.9.9> could save 7.5KiB (63% reduction).
- Compressing <http://elismatjani.it/> could save 419B (52% reduction).

### Leverage browser caching

## Telefon

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- [https://www.register.it/\\_css/base\\_buttons.css](https://www.register.it/_css/base_buttons.css) (expiration not specified)
- [https://www.register.it/\\_img/header/register.it\\_logo.png](https://www.register.it/_img/header/register.it_logo.png) (expiration not specified)
- [https://www.register.it/\\_js/cookiecuttr/jquery.cookie.js](https://www.register.it/_js/cookiecuttr/jquery.cookie.js) (expiration not specified)
- [https://www.register.it/\\_js/cookiecuttr/jquery.cookiecuttr.js](https://www.register.it/_js/cookiecuttr/jquery.cookiecuttr.js) (expiration not specified)
- [https://ekr.zdassets.com/compose/zopim\\_chat/1nREZe3eBKGk19UW3qKkVx3rFZD43UKO](https://ekr.zdassets.com/compose/zopim_chat/1nREZe3eBKGk19UW3qKkVx3rFZD43UKO) (10 minutes)
- <https://www.googletagmanager.com/gtm.js?id=GTM-WH9LDRH> (15 minutes)
- [https://static.zdassets.com/ekr/asset\\_composer.js](https://static.zdassets.com/ekr/asset_composer.js) (60 minutes)
- <https://www.register.it/wp-content/plugins/bwp-minify/min/?f=wp-content/plugins/svg-support/js/min/svg-inline-min.js,wp-content/plugins/sitepress-multilingual-cms/templates/language-switchers/legacy-dropdown/script.js,wp-content/themes/dada/asset/js/dada-tracking-standalone.js> (60 minutes)
- <https://www.register.it/wp-content/plugins/bwp-minify/min/?f=wp-content/plugins/wpml-cms-nav/res/css/cms-navigation-base.css,wp-content/plugins/wpml-cms-nav/res/css/cms-navigation.css> (60 minutes)
- <https://www.register.it/wp-content/plugins/bwp-minify/min/?f=wp-content/plugins/wpml-cms-nav/res/css/navigation.css,wp-content/themes/dada/style.css,wp-content/themes/dada-register-child/style.css,wp-content/themes/dada/asset/css/dadaiconfont.css,wp-content/plugins/html-knowledge-base/css/hkb-style.css,wp-content/themes/dada/asset/css/privacyModalAndBanner.css> (60 minutes)
- [https://www.register.it/wp-content/plugins/bwp-minify/min/?f=wp-content/themes/dada/asset/js/lib/jquery.mobile.touch.js,wp-content/themes/dada/asset/js/dada-privacyTextsRetriever.js,wp-content/themes/dada/asset/js/dada-cookies-management.js,wp-includes/js/wp-embed.min.js,wp-content/themes/dada/asset/js/dada-www.js,wp-content/themes/dada/asset/js/dada-request-collector.js,wp-content/themes/dada/asset/js/dada-marketing-automation.js,wp-content/themes/dada/asset/js/dada-language.js,wp-content/themes/dada/plugins/dada\\_carousel\\_box/js/enqueue/generic.js,wp-content/themes/dada/plugins/dada\\_video/js/enqueue/generic.js](https://www.register.it/wp-content/plugins/bwp-minify/min/?f=wp-content/themes/dada/asset/js/lib/jquery.mobile.touch.js,wp-content/themes/dada/asset/js/dada-privacyTextsRetriever.js,wp-content/themes/dada/asset/js/dada-cookies-management.js,wp-includes/js/wp-embed.min.js,wp-content/themes/dada/asset/js/dada-www.js,wp-content/themes/dada/asset/js/dada-request-collector.js,wp-content/themes/dada/asset/js/dada-marketing-automation.js,wp-content/themes/dada/asset/js/dada-language.js,wp-content/themes/dada/plugins/dada_carousel_box/js/enqueue/generic.js,wp-content/themes/dada/plugins/dada_video/js/enqueue/generic.js) (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

## Minify CSS

## Telefon

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 999B (27% reduction).

- Minifying [https://www.register.it/\\_css/base\\_buttons.css](https://www.register.it/_css/base_buttons.css) could save 999B (27% reduction) after compression.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.9KiB (43% reduction).

- Minifying [https://www.register.it/\\_js/cookiecuttr/jquery.cookiecuttr.js](https://www.register.it/_js/cookiecuttr/jquery.cookiecuttr.js) could save 1.4KiB (44% reduction) after compression.
- Minifying [https://www.register.it/\\_js/cookiecuttr/jquery.cookie.js](https://www.register.it/_js/cookiecuttr/jquery.cookie.js) could save 564B (42% reduction) after compression.

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 44.2KiB (49% reduction).

- Compressing [https://www.register.it/wp-content/uploads/HP\\_Trial\\_Simply\\_Site\\_New\\_Project\\_Rocket.jpg](https://www.register.it/wp-content/uploads/HP_Trial_Simply_Site_New_Project_Rocket.jpg) could save 44.2KiB (49% reduction).



Kalon 5 kontrolle

# Telefon

## Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

## Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

## Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

You have no render-blocking resources. Learn more about [removing render-blocking resources](#).

## Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

**89 / 100** Eksperienca e përdoruesit

 Duhet përmirësuar:

## Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

## Përmiresim për tu konsideruar:

### Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- Register.it ti...nderne visione renders only 7 pixels tall (18 CSS pixels) final.
- clicca qui renders only 7 pixels tall (18 CSS pixels) final.
- Il sito utiliz...nso ai cookie, and 1 others render only 5 pixels tall (13 CSS pixels) final.
- clicca qui renders only 5 pixels tall (13 CSS pixels) final.
- Partita IVA &...e: 04628270482 and 1 others render only 6 pixels tall (15 CSS pixels).

## Kalon 3 kontrolle

### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

### Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

### Size tap targets appropriately

## Telefon

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

## Desktop



**88 / 100** Shpejtësia

**!** Përmiresim për tu konsideruar:

### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 7.9KiB (62% reduction).

- Compressing <https://www.register.it/wp-includes/js/wp-emoji-release.min.js?ver=4.9.9> could save 7.5KiB (63% reduction).
- Compressing <http://elismatjani.it/> could save 419B (52% reduction).

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

## Desktop

[Leverage browser caching](#) for the following cacheable resources:

- [https://www.register.it/\\_css/base\\_buttons.css](https://www.register.it/_css/base_buttons.css) (expiration not specified)
- [https://www.register.it/\\_img/header/register.it\\_logo.png](https://www.register.it/_img/header/register.it_logo.png) (expiration not specified)
- [https://www.register.it/\\_js/cookiecuttr/jquery.cookie.js](https://www.register.it/_js/cookiecuttr/jquery.cookie.js) (expiration not specified)
- [https://www.register.it/\\_js/cookiecuttr/jquery.cookiecuttr.js](https://www.register.it/_js/cookiecuttr/jquery.cookiecuttr.js) (expiration not specified)
- [https://ekr.zdassets.com/compose/zopim\\_chat/1nREZe3eBKGk19UW3qKkVx3rFZD43UKO](https://ekr.zdassets.com/compose/zopim_chat/1nREZe3eBKGk19UW3qKkVx3rFZD43UKO) (10 minutes)
- <https://www.googletagmanager.com/gtm.js?id=GTM-WH9LDRH> (15 minutes)
- [https://static.zdassets.com/ekr/asset\\_composer.js](https://static.zdassets.com/ekr/asset_composer.js) (60 minutes)
- <https://www.register.it/wp-content/plugins/bwp-minify/min/?f=wp-content/plugins/svg-support/js/min/svg-inline-min.js,wp-content/plugins/sitepress-multilingual-cms/templates/language-switchers/legacy-dropdown/script.js,wp-content/themes/dada/asset/js/dada-tracking-standalone.js> (60 minutes)
- <https://www.register.it/wp-content/plugins/bwp-minify/min/?f=wp-content/plugins/wpml-cms-nav/res/css/cms-navigation-base.css,wp-content/plugins/wpml-cms-nav/res/css/cms-navigation.css> (60 minutes)
- <https://www.register.it/wp-content/plugins/bwp-minify/min/?f=wp-content/plugins/wpml-cms-nav/res/css/navigation.css,wp-content/themes/dada/style.css,wp-content/themes/dada-register-child/style.css,wp-content/themes/dada/asset/css/dadaiconfont.css,wp-content/plugins/ht-knowledge-base/css/hkb-style.css,wp-content/themes/dada/asset/css/privacyModalAndBanner.css> (60 minutes)
- [https://www.register.it/wp-content/plugins/bwp-minify/min/?f=wp-content/themes/dada/asset/js/lib/jquery.mobile.touch.js,wp-content/themes/dada/asset/js/dada-privacyTextsRetriever.js,wp-content/themes/dada/asset/js/dada-cookies-management.js,wp-includes/js/wp-embed.min.js,wp-content/themes/dada/asset/js/dada-www.js,wp-content/themes/dada/asset/js/dada-request-collector.js,wp-content/themes/dada/asset/js/dada-marketing-automation.js,wp-content/themes/dada/asset/js/dada-language.js,wp-content/themes/dada/plugins/dada\\_carousel\\_box/js/enqueue/generic.js,wp-content/themes/dada/plugins/dada\\_video/js/enqueue/generic.js](https://www.register.it/wp-content/plugins/bwp-minify/min/?f=wp-content/themes/dada/asset/js/lib/jquery.mobile.touch.js,wp-content/themes/dada/asset/js/dada-privacyTextsRetriever.js,wp-content/themes/dada/asset/js/dada-cookies-management.js,wp-includes/js/wp-embed.min.js,wp-content/themes/dada/asset/js/dada-www.js,wp-content/themes/dada/asset/js/dada-request-collector.js,wp-content/themes/dada/asset/js/dada-marketing-automation.js,wp-content/themes/dada/asset/js/dada-language.js,wp-content/themes/dada/plugins/dada_carousel_box/js/enqueue/generic.js,wp-content/themes/dada/plugins/dada_video/js/enqueue/generic.js) (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

## [Desktop](#)

[Minify CSS](#) for the following resources to reduce their size by 999B (27% reduction).

- Minifying [https://www.register.it/\\_css/base\\_buttons.css](https://www.register.it/_css/base_buttons.css) could save 999B (27% reduction) after compression.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.9KiB (43% reduction).

- Minifying [https://www.register.it/\\_js/cookiecuttr/jquery.cookiecuttr.js](https://www.register.it/_js/cookiecuttr/jquery.cookiecuttr.js) could save 1.4KiB (44% reduction) after compression.
- Minifying [https://www.register.it/\\_js/cookiecuttr/jquery.cookie.js](https://www.register.it/_js/cookiecuttr/jquery.cookie.js) could save 564B (42% reduction) after compression.

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 44.2KiB (49% reduction).

- Compressing [https://www.register.it/wp-content/uploads/HP\\_Trial\\_Simply\\_Site\\_New\\_Project\\_Rocket.jpg](https://www.register.it/wp-content/uploads/HP_Trial_Simply_Site_New_Project_Rocket.jpg) could save 44.2KiB (49% reduction).



Kalon 5 kontrolle

## Avoid landing page redirects

## Desktop

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

### Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

### Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

### Eliminate render-blocking JavaScript and CSS in above-the-fold content

You have no render-blocking resources. Learn more about [removing render-blocking resources](#).

### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).