PageSpeed Insights

Telefon





66 / 100 Shpejtësia

Duhet përmirësuar:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- https://gjstatic.blob.core.windows.net/fix/gjanout-v2-new.js (expiration not specified)
- https://static.hotjar.com/c/hotjar-473576.js?sv=6 (60 seconds)
- https://connect.facebook.net/en_US/fbevents.js (20 minutes)
- https://connect.facebook.net/signals/config/348494715542935?v=2.9.1&r=stable (20 minutes)
- https://connect.facebook.net/signals/plugins/inferredEvents.js?v=2.9.1 (20 minutes)
- https://www.google-analytics.com/analytics.js (2 hours)

- https://video.gjirafa.com/Content/img/icon/logo-white.svg (4 hours)
- https://video.gjirafa.com/Content/img/logo.png (4 hours)
- https://video.gjirafa.com/Content/img/logos/aNet.png (4 hours)
- https://video.gjirafa.com/Content/img/logos/gjirafa.png (4 hours)
- https://video.gjirafa.com/Content/img/logos/gjirafa50.png (4 hours)
- https://video.gjirafa.com/Content/img/logos/lab.png (4 hours)
- https://video.gjirafa.com/Content/img/logos/mall.png (4 hours)
- https://video.gjirafa.com/Content/img/logos/pikBiz.png (4 hours)
- https://video.gjirafa.com/Content/img/logos/video.png (4 hours)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 7 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- https://gjstatic.blob.core.windows.net/fix/dmp.js?v=20190724
- https://cdn.polyfill.io/v3/polyfill.min.js
- https://video.gjirafa.com/bundles/signalr?v=Rp9Hv_YcEEg0jdMwA_kxXw83NrtkAgJs6-U90B4 WTy81
- https://jaguar.gjirafa.com/api/storage/scripts/gjvideo/signalr-hubs.js
- https://video.gjirafa.com/bundles/analytics?v=6NQMw5_pReQ_KIG1NPyX_4Co6WH0zpmJAfk m7rlemgU1
- https://video.gjirafa.com/bundles/lib?v=N4EzyLfUuG4XEG8IHXimO43j2q3-DG fj1h6BF0-Ne81
- https://video.gjirafa.com/bundles/main?v=mnFVNw9TsNscRGIIKJ3Te1yDmpczDeYE8zMc-DaB1pM1

Optimize CSS Delivery of the following:

https://video.gjirafa.com/Content/site?v=ic14iUoVA9a9wJm-zBd4j6x8e2rE29l5SgWJG2Apx-o1

🛂 Përmiresim për tu konsideruar:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

<u>Enable compression</u> for the following resources to reduce their transfer size by 9.8KiB (66% reduction).

- Compressing https://gjstatic.blob.core.windows.net/fix/gjanout-v2-new.js could save 6KiB (67% reduction).
- Compressing https://gjstatic.blob.core.windows.net/fix/dmp.js?v=20190724 could save 3.8KiB (64% reduction).

Reduce server response time

In our test, your server responded in 0.73 seconds.

There are many factors that can slow down your server response time. <u>Please read our recommendations</u> to learn how you can monitor and measure where your server is spending the most time.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 799B (38% reduction).

- Minifying https://connect.facebook.net/signals/plugins/inferredEvents.js?v=2.9.1 could save 646B (85% reduction) after compression.
- Minifying https://jaguar.gjirafa.com/api/storage/scripts/gjvideo/signalr-hubs.js could save 153B (11% reduction) after compression.



Kalon 5 kontrolle

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Minify CSS

Your CSS is minified. Learn more about minifying CSS.

Minify HTML

Your HTML is minified. Learn more about minifying HTML.

Optimize images

Your images are optimized. Learn more about optimizing images.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about prioritizing visible content.

98 / 100 Eksperienca e përdoruesit

Përmiresim për tu konsideruar:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider making these tap targets larger to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target GjirafaStudios and 9 others are close to other tap targets.
- The tap target Stupcat is close to 1 other tap targets.
- The tap target Seriale is close to 1 other tap targets.
- The tap target is close to 2 other tap targets.
- The tap target and 6 others are close to other tap targets.

Kalon 4 kontrolle

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of <u>avoiding plugins</u>.

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about <u>configuring viewports</u>.

Size content to viewport

The contents of your page fit within the viewport. Learn more about sizing content to the viewport.

Use legible font sizes

The text on your page is legible. Learn more about using legible font sizes.

Desktop



<mark>83 / 100</mark> Shpejtësia

Përmiresim për tu konsideruar:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

<u>Enable compression</u> for the following resources to reduce their transfer size by 9.8KiB (66% reduction).

- Compressing https://gjstatic.blob.core.windows.net/fix/gjanout-v2-new.js could save 6KiB (67% reduction).
- Compressing https://gjstatic.blob.core.windows.net/fix/dmp.js?v=20190724 could save 3.8KiB (64% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- https://gjstatic.blob.core.windows.net/fix/gjanout-v2-new.js (expiration not specified)
- https://static.hotjar.com/c/hotjar-473576.js?sv=6 (60 seconds)
- https://connect.facebook.net/en US/fbevents.js (20 minutes)
- https://connect.facebook.net/signals/config/348494715542935?v=2.9.1&r=stable (20 minutes)
- https://connect.facebook.net/signals/plugins/inferredEvents.js?v=2.9.1 (20 minutes)
- https://www.google-analytics.com/analytics.js (2 hours)
- https://video.gjirafa.com/Content/img/icon/logo-white.svg (4 hours)
- https://video.gjirafa.com/Content/img/logo.png (4 hours)
- https://video.gjirafa.com/Content/img/logos/aNet.png (4 hours)
- https://video.gjirafa.com/Content/img/logos/gjirafa.png (4 hours)
- https://video.gjirafa.com/Content/img/logos/gjirafa50.png (4 hours)
- https://video.gjirafa.com/Content/img/logos/lab.png (4 hours)
- https://video.gjirafa.com/Content/img/logos/mall.png (4 hours)
- https://video.gjirafa.com/Content/img/logos/pikBiz.png (4 hours)
- https://video.gjirafa.com/Content/img/logos/video.png (4 hours)

Reduce server response time

In our test, your server responded in 0.35 seconds.

There are many factors that can slow down your server response time. <u>Please read our recommendations</u> to learn how you can monitor and measure where your server is spending the most time.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 799B (38% reduction).

- Minifying https://connect.facebook.net/signals/plugins/inferredEvents.js?v=2.9.1 could save 646B (85% reduction) after compression.
- Minifying https://jaguar.gjirafa.com/api/storage/scripts/gjvideo/signalr-hubs.js could save 153B (11% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 7 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- https://gjstatic.blob.core.windows.net/fix/dmp.js?v=20190724
- https://cdn.polyfill.io/v3/polyfill.min.js
- https://video.gjirafa.com/bundles/signalr?v=Rp9Hv_YcEEg0jdMwA_kxXw83NrtkAgJs6-U90B4 WTy81
- https://jaguar.gjirafa.com/api/storage/scripts/gjvideo/signalr-hubs.js
- https://video.gjirafa.com/bundles/analytics?v=6NQMw5 pReQ KIG1NPyX 4Co6WH0zpmJAfk

Desktop

m7rlemgU1

- https://video.gjirafa.com/bundles/lib?v=N4EzyLfUuG4XEG8IHXimO43j2q3-DG fj1h6BF0-Ne81
- https://video.gjirafa.com/bundles/main?v=mnFVNw9TsNscRGIIKJ3Te1yDmpczDeYE8zMc-DaB1pM1

Optimize CSS Delivery of the following:

https://video.gjirafa.com/Content/site?v=ic14iUoVA9a9wJm-zBd4j6x8e2rE29l5SgWJG2Apx-o1



Kalon 5 kontrolle

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Minify CSS

Your CSS is minified. Learn more about minifying CSS.

Minify HTML

Your HTML is minified. Learn more about minifying HTML.

Optimize images

Your images are optimized. Learn more about optimizing images.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about prioritizing visible content.

Desktop