

PageSpeed Insights

Telefon



0 / 100 Shpejtësia

! Duhet përmirësuar:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 343.4KiB (75% reduction).

- Compressing <http://kunder.al/css/style.css> could save 90.2KiB (82% reduction).
- Compressing <http://kunder.al/js/jquery.min.js> could save 61.9KiB (65% reduction).
- Compressing <http://kunder.al/css/bootstrap.min.css> could save 53.4KiB (85% reduction).
- Compressing <http://kunder.al/js/flickity.pkgd.min.js> could save 40.4KiB (74% reduction).
- Compressing <http://kunder.al/js/bootstrap.min.js> could save 35KiB (73% reduction).
- Compressing <http://kunder.al/js/owl-carousel.min.js> could save 31.1KiB (74% reduction).

Telefon

- Compressing <http://kunder.al/js/scripts.js> could save 8.8KiB (75% reduction).
- Compressing http://kunder.al/js/twitterFetcher_min.js could save 7.8KiB (71% reduction).
- Compressing <http://kunder.al/js/lazysizes.min.js> could save 3.4KiB (53% reduction).
- Compressing <http://kunder.al/css/font-icons.css> could save 3.1KiB (68% reduction).
- Compressing <http://kunder.al/js/modernizr.min.js> could save 2.9KiB (55% reduction).
- Compressing <http://kunder.al/js/easing.min.js> could save 2.7KiB (75% reduction).
- Compressing <http://kunder.al/js/jquery.newsTicker.min.js> could save 2.4KiB (66% reduction).
- Compressing <https://buttons-config.sharethis.com/js/5b2ce6446e74690011af3f4b.js> could save 187B (38% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- http://kunder.al/admin/assets/images/logo_k.png (expiration not specified)
- <http://kunder.al/css/bootstrap.min.css> (expiration not specified)
- <http://kunder.al/css/font-icons.css> (expiration not specified)
- <http://kunder.al/css/style.css> (expiration not specified)
- <http://kunder.al/images/123-12.jpg> (expiration not specified)
- http://kunder.al/images/1529664115_sampaoli.jpg (expiration not specified)
- http://kunder.al/images/1536613431_9801e6cb6b4f55c0b75c73bbbb47f06c.jpg (expiration not specified)
- <http://kunder.al/images/A%20P%20A%20R%20A%20T%20I%20034.jpg> (expiration not specified)
- <http://kunder.al/images/APARATI018.jpg> (expiration not specified)
- <http://kunder.al/images/APARATI034.jpg> (expiration not specified)
- <http://kunder.al/images/Argjentina.jpg> (expiration not specified)

Telefon

- [http://kunder.al/images/DSC_0013%20\(2\).JPG](http://kunder.al/images/DSC_0013%20(2).JPG) (expiration not specified)
- http://kunder.al/images/DSC_0994.JPG (expiration not specified)
- http://kunder.al/images/auto_policia_kukes1485427711.jpg (expiration not specified)
- <http://kunder.al/images/dj.jpeg> (expiration not specified)
- <http://kunder.al/images/festivali.jpg> (expiration not specified)
- <http://kunder.al/images/hamilton.jpg> (expiration not specified)
- <http://kunder.al/images/xhaka-shaqiri-1.jpg> (expiration not specified)
- <http://kunder.al/img/empty.png> (expiration not specified)
- http://kunder.al/img/logo_kunderal.PNG (expiration not specified)
- <http://kunder.al/js/bootstrap.min.js> (expiration not specified)
- <http://kunder.al/js/easing.min.js> (expiration not specified)
- <http://kunder.al/js/flickity.pkgd.min.js> (expiration not specified)
- <http://kunder.al/js/jquery.min.js> (expiration not specified)
- <http://kunder.al/js/jquery.newsTicker.min.js> (expiration not specified)
- <http://kunder.al/js/lazysizes.min.js> (expiration not specified)
- <http://kunder.al/js/modernizr.min.js> (expiration not specified)
- <http://kunder.al/js/owl-carousel.min.js> (expiration not specified)
- <http://kunder.al/js/scripts.js> (expiration not specified)
- http://kunder.al/js/twitterFetcher_min.js (expiration not specified)
- <https://buttons-config.sharethis.com/js/5b2ce6446e74690011af3f4b.js> (60 seconds)
- <http://img.youtube.com/vi/zFyu-goWmE0/maxresdefault.jpg> (5 minutes)
- <https://www.googletagmanager.com/gtag/js?id=UA-121075795-1> (15 minutes)
- <http://platform-api.sharethis.com/js/sharethis.js> (60 minutes)
- <https://clientcdn.pushengage.com/core/39fbf58957a927c2da0c881c6b02b25f.js> (60 minutes)
- <https://t.sharethis.com/1/d/t.dhj?cid=c010&cls=B&dmn=kunder.al&rnd=1540039931248> (60 minutes)
- http://img.youtube.com/vi/yqV_FnV0ArA/maxresdefault.jpg (2 hours)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources and 4 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://kunder.al/js/lazysizes.min.js>
- <https://clientcdn.pushengage.com/core/39fbf58957a927c2da0c881c6b02b25f.js>

[Optimize CSS Delivery](#) of the following:

- <https://fonts.googleapis.com/css?family=Montserrat:400,600,700%7CSource+Sans+Pro:400,600,700>
- <http://kunder.al/css/bootstrap.min.css>
- <http://kunder.al/css/font-icons.css>
- <http://kunder.al/css/style.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 10.9MiB (61% reduction).

- Compressing [http://kunder.al/images/DSC_0013%20\(2\).JPG](http://kunder.al/images/DSC_0013%20(2).JPG) could save 8.3MiB (71% reduction).
- Compressing http://kunder.al/images/DSC_0994.JPG could save 2MiB (80% reduction).
- Compressing <http://kunder.al/images/APARATI018.jpg> could save 211.7KiB (17% reduction).

Telefon

- Compressing <http://kunder.al/images/APARATI034.jpg> could save 198.5KiB (19% reduction).
- Compressing <http://kunder.al/images/dj.jpeg> could save 83.3KiB (23% reduction).
- Compressing http://kunder.al/images/1536613431_9801e6cb6b4f55c0b75c73bbbb47f06c.jpg could save 70.9KiB (19% reduction).
- Compressing <http://img.youtube.com/vi/zFyu-goWmE0/maxresdefault.jpg> could save 37.3KiB (16% reduction).
- Compressing <http://kunder.al/images/xhaka-shaqiri-1.jpg> could save 19.8KiB (27% reduction).
- Compressing http://img.youtube.com/vi/yqV_FnV0ArA/maxresdefault.jpg could save 17.2KiB (14% reduction).
- Compressing http://kunder.al/images/1529664115_sampaoli.jpg could save 16.8KiB (22% reduction).
- Compressing <http://kunder.al/images/hamilton.jpg> could save 7.1KiB (13% reduction).
- Compressing http://kunder.al/admin/assets/images/logo_k.png could save 689B (16% reduction).
- Compressing http://kunder.al/img/logo_kunderal.PNG could save 552B (13% reduction).

Përmiresim për tu konsideruar:

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 26.3KiB (24% reduction).

- Minifying <http://kunder.al/css/style.css> could save 24.6KiB (23% reduction).
- Minifying <http://kunder.al/css/font-icons.css> could save 1.7KiB (38% reduction).

Minify HTML

Telefon

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1.8KiB (20% reduction).

- Minifying <http://kunder.al/> could save 1.8KiB (20% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 4.2KiB (36% reduction).

- Minifying <http://kunder.al/js/scripts.js> could save 4.2KiB (36% reduction).

Kalon 3 kontrolle

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

99 / 100 Eksperiencia e përdoruesit

! Përmiresim për tu konsideruar:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target is close to 1 other tap targets.

✓ Kalon 4 kontolle

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport


The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

Telefon

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



0 / 100 Shpejtësia

! Duhet përmirësuar:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 343.4KiB (75% reduction).

- Compressing <http://kunder.al/css/style.css> could save 90.2KiB (82% reduction).
- Compressing <http://kunder.al/js/jquery.min.js> could save 61.9KiB (65% reduction).
- Compressing <http://kunder.al/css/bootstrap.min.css> could save 53.4KiB (85% reduction).
- Compressing <http://kunder.al/js/flickity.pkgd.min.js> could save 40.4KiB (74% reduction).
- Compressing <http://kunder.al/js/bootstrap.min.js> could save 35KiB (73% reduction).
- Compressing <http://kunder.al/js/owl-carousel.min.js> could save 31.1KiB (74% reduction).
- Compressing <http://kunder.al/js/scripts.js> could save 8.8KiB (75% reduction).
- Compressing http://kunder.al/js/twitterFetcher_min.js could save 7.8KiB (71% reduction).
- Compressing <http://kunder.al/js/lazysizes.min.js> could save 3.4KiB (53% reduction).

Desktop

- Compressing <http://kunder.al/css/font-icons.css> could save 3.1KiB (68% reduction).
- Compressing <http://kunder.al/js/modernizr.min.js> could save 2.9KiB (55% reduction).
- Compressing <http://kunder.al/js/easing.min.js> could save 2.7KiB (75% reduction).
- Compressing <http://kunder.al/js/jquery.newsTicker.min.js> could save 2.4KiB (66% reduction).
- Compressing <https://buttons-config.sharethis.com/js/5b2ce6446e74690011af3f4b.js> could save 187B (38% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- http://kunder.al/admin/assets/images/logo_k.png (expiration not specified)
- <http://kunder.al/css/bootstrap.min.css> (expiration not specified)
- <http://kunder.al/css/font-icons.css> (expiration not specified)
- <http://kunder.al/css/style.css> (expiration not specified)
- <http://kunder.al/images/123-12.jpg> (expiration not specified)
- http://kunder.al/images/1529664115_sampaoli.jpg (expiration not specified)
- http://kunder.al/images/1536613431_9801e6cb6b4f55c0b75c73bbbb47f06c.jpg (expiration not specified)
- http://kunder.al/images/37916850_10214349656193774_3211129816363302912_n.jpg (expiration not specified)
- <http://kunder.al/images/A%20P%20A%20R%20A%20T%20I%20034.jpg> (expiration not specified)
- <http://kunder.al/images/APARATI018.jpg> (expiration not specified)
- <http://kunder.al/images/APARATI034.jpg> (expiration not specified)
- <http://kunder.al/images/Argjentina.jpg> (expiration not specified)
- [http://kunder.al/images/DSC_0013%20\(2\).JPG](http://kunder.al/images/DSC_0013%20(2).JPG) (expiration not specified)

Desktop

- http://kunder.al/images/DSC_0994.JPG (expiration not specified)
- <http://kunder.al/images/artur-roshi2.jpg> (expiration not specified)
- http://kunder.al/images/auto_policia_kukes1485427711.jpg (expiration not specified)
- <http://kunder.al/images/dj.jpeg> (expiration not specified)
- <http://kunder.al/images/festivali.jpg> (expiration not specified)
- <http://kunder.al/images/hamilton.jpg> (expiration not specified)
- http://kunder.al/images/ib_p008_0_79.png (expiration not specified)
- <http://kunder.al/images/xhaka-shaqiri-1.jpg> (expiration not specified)
- <http://kunder.al/img/empty.png> (expiration not specified)
- http://kunder.al/img/logo_kunderal.PNG (expiration not specified)
- <http://kunder.al/js/bootstrap.min.js> (expiration not specified)
- <http://kunder.al/js/easing.min.js> (expiration not specified)
- <http://kunder.al/js/flickity.pkgd.min.js> (expiration not specified)
- <http://kunder.al/js/jquery.min.js> (expiration not specified)
- <http://kunder.al/js/jquery.newsTicker.min.js> (expiration not specified)
- <http://kunder.al/js/lazysizes.min.js> (expiration not specified)
- <http://kunder.al/js/modernizr.min.js> (expiration not specified)
- <http://kunder.al/js/owl-carousel.min.js> (expiration not specified)
- <http://kunder.al/js/scripts.js> (expiration not specified)
- http://kunder.al/js/twitterFetcher_min.js (expiration not specified)
- <https://buttons-config.sharethis.com/js/5b2ce6446e74690011af3f4b.js> (60 seconds)
- <http://img.youtube.com/vi/zFyu-goWmE0/maxresdefault.jpg> (5 minutes)
- <https://www.googletagmanager.com/gtag/js?id=UA-121075795-1> (15 minutes)
- <http://platform-api.sharethis.com/js/sharethis.js> (60 minutes)
- <https://clientcdn.pushengage.com/core/39fbf58957a927c2da0c881c6b02b25f.js> (60 minutes)
- <https://t.sharethis.com/1/d/t.dhj?cid=c010&cls=B&dmn=kunder.al&rnd=1540039940735> (60 minutes)
- http://img.youtube.com/vi/yqV_FnV0ArA/maxresdefault.jpg (2 hours)

Desktop

- <https://www.google-analytics.com/analytics.js> (2 hours)

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 11.9MiB (65% reduction).

- Compressing [http://kunder.al/images/DSC_0013%20\(2\).JPG](http://kunder.al/images/DSC_0013%20(2).JPG) could save 8.3MiB (71% reduction).
- Compressing and resizing http://kunder.al/images/DSC_0994.JPG could save 2.4MiB (99% reduction).
- Compressing and resizing http://kunder.al/images/ib_p008_0_79.png could save 445.7KiB (96% reduction).
- Compressing <http://kunder.al/images/APARATI018.jpg> could save 211.7KiB (17% reduction).
- Compressing <http://kunder.al/images/APARATI034.jpg> could save 198.5KiB (19% reduction).
- Compressing <http://kunder.al/images/dj.jpeg> could save 83.3KiB (23% reduction).
- Compressing http://kunder.al/images/1536613431_9801e6cb6b4f55c0b75c73bbbb47f06c.jpg could save 70.9KiB (19% reduction).
- Compressing and resizing http://kunder.al/images/37916850_10214349656193774_3211129816363302912_n.jpg could save 69.7KiB (96% reduction).
- Compressing and resizing http://kunder.al/images/auto_policia_kukes1485427711.jpg could save 40.7KiB (73% reduction).
- Compressing <http://img.youtube.com/vi/zFyu-goWmE0/maxresdefault.jpg> could save 37.3KiB (16% reduction).
- Compressing and resizing <http://kunder.al/images/artur-roshi2.jpg> could save 28.3KiB (92% reduction).
- Compressing <http://kunder.al/images/xhaka-shaqiri-1.jpg> could save 19.8KiB (27% reduction).
- Compressing http://img.youtube.com/vi/yqV_FnV0ArA/maxresdefault.jpg could save 17.2KiB (14% reduction).
- Compressing http://kunder.al/images/1529664115_sampaoli.jpg could save 16.8KiB (22% reduction).

Desktop

- Compressing <http://kunder.al/images/hamilton.jpg> could save 7.1KiB (13% reduction).
- Compressing http://kunder.al/admin/assets/images/logo_k.png could save 689B (16% reduction).
- Compressing http://kunder.al/img/logo_kunderal.PNG could save 552B (13% reduction).

 Përmiresim për tu konsideruar:

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 26.3KiB (24% reduction).

- Minifying <http://kunder.al/css/style.css> could save 24.6KiB (23% reduction).
- Minifying <http://kunder.al/css/font-icons.css> could save 1.7KiB (38% reduction).

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1.8KiB (20% reduction).

- Minifying <http://kunder.al/> could save 1.8KiB (20% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and

Desktop

execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 4.2KiB (36% reduction).

- Minifying <http://kunder.al/js/scripts.js> could save 4.2KiB (36% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://fonts.googleapis.com/css?family=Montserrat:400,600,700%7CSource+Sans+Pro:400,600,700>

Kalon 3 kontrolle

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible](#)

Desktop

[content.](#)