


PageSpeed Insights

Telefon



70 / 100 Shpejtësia

! Duhet përmirësuar:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css>
- <https://fonts.googleapis.com/css?family=Grand+Hotel>

! Përmiresim për tu konsideruar:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://dvecj1kzufveh.cloudfront.net/default2/background.jpg> (expiration not specified)
- <https://dvecj1kzufveh.cloudfront.net/default2/logo.png> (expiration not specified)

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 464B (25% reduction).

- Minifying <http://edating.blog/> could save 464B (25% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 1KiB (18% reduction).

- Compressing <https://dvecj1kzufveh.cloudfront.net/default2/logo.png> could save 1KiB (18% reduction).



Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).


Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

100 / 100 Eksperienca e përdoruesit

 Kalon 5 kontrolle

Avoid plugins

Telefon

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



Desktop

Duhet përmirësuar:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css>
- <https://fonts.googleapis.com/css?family=Grand+Hotel>

Përmiresim për tu konsideruar:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://dvecj1kzufveh.cloudfront.net/default2/background.jpg> (expiration not specified)
- <https://dvecj1kzufveh.cloudfront.net/default2/logo.png> (expiration not specified)

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Desktop

[Minify HTML](#) for the following resources to reduce their size by 464B (25% reduction).

- Minifying <http://edating.blog/> could save 464B (25% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 1KiB (18% reduction).

- Compressing <https://dvecj1kzufveh.cloudfront.net/default2/logo.png> could save 1KiB (18% reduction).



Kalon 6 kontrolle

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Desktop

Your CSS is minified. Learn more about [minifying CSS](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).